


Lab 9

Eloquent ORM

1. Create Company Model

```
Company.php ×  
app > Models > Company.php > ...  
1  <?php  
2  
3  namespace App\Models;  
4  
5  use Illuminate\Database\Eloquent\Factories\HasFactory;  
6  use Illuminate\Database\Eloquent\Model;  
7  
8  0 references | 0 implementations  
9  class Company extends Model  
10 {  
11     use HasFactory;  
12 }  
  
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  
● → working-with-databases php artisan make:model Company  
INFO Model [app/Models/Company.php] created successfully.
```

2. Create Note Model and Migration Seeder



The screenshot shows an IDE window titled "Note.php" with a dark theme. The code editor displays the following PHP code:

```
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 class Note extends Model
9 {
10     use HasFactory;
11 }
12
```

Below the code editor, the "TERMINAL" tab is active, showing the command and its output:

```
working-with-databases php artisan make:model Note -ms
INFO Model [app/Models/Note.php] created successfully.
INFO Migration [database/migrations/2023_05_23_100850_create_notes_table.php] created successfully.
INFO Seeder [database/seeder/NoteSeeder.php] created successfully.
```

3. Create Node model with Migration and Seeder (con.t)

```
2023_05_23_100850_create_notes_table.php X
database > migrations > 2023_05_23_100850_create_notes_table.php > PHP Intelephense > class > up > Closure
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create('notes', function (Blueprint $table) {
15             $table->id();
16             $table->text('body');
17             $table->timestamps();
18         });
19     }
20
21     /**
22      * Reverse the migrations.
23      */
24     public function down(): void
25     {
26         Schema::dropIfExists('notes');
27     }
28 };
29
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
• → working-with-databases php artisan migrate
INFO Running migrations.
2023_05_23_100850_create_notes_table ..... 122ms DONE
```

```
2023_05_23_100850_create_notes_table.php  NoteSeeder.php ×
database > seeders > NoteSeeder.php > PHP Intelephense > NoteSeeder > run
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Console\Seeds\WithoutModelEvents;
6  use Illuminate\Database\Seeder;
7  use Illuminate\Support\Facades\DB;
8
9  0 references | 0 implementations
class NoteSeeder extends Seeder
10 {
11     /**
12      * Run the database seeds.
13      */
14     0 references | 0 overrides
    public function run(): void
15     {
16         $notes = [];
17         foreach(range(1, 10) as $index) {
18             $note = [
19                 'body' => "Note $index",
20                 'created_at' => now(),
21                 'updated_at' => now(),
22             ];
23             $notes[] = $note;
24         }
25         DB::table('notes')->delete();
26         DB::table('notes')->insert($notes);
27     }
28 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
● → working-with-databases php artisan db:seed --class=NoteSeeder
INFO Seeding database.
```

Showing rows 0 - 9 (10 total, Query took 0.0002 seconds.)

```
SELECT * FROM `notes`
```

id	body	created_at	updated_at
1	Note 1	2023-05-23 10:19:02	2023-05-23 10:19:02
2	Note 2	2023-05-23 10:19:02	2023-05-23 10:19:02
3	Note 3	2023-05-23 10:19:02	2023-05-23 10:19:02
4	Note 4	2023-05-23 10:19:02	2023-05-23 10:19:02
5	Note 5	2023-05-23 10:19:02	2023-05-23 10:19:02
6	Note 6	2023-05-23 10:19:02	2023-05-23 10:19:02
7	Note 7	2023-05-23 10:19:02	2023-05-23 10:19:02
8	Note 8	2023-05-23 10:19:02	2023-05-23 10:19:02
9	Note 9	2023-05-23 10:19:02	2023-05-23 10:19:02
10	Note 10	2023-05-23 10:19:02	2023-05-23 10:19:02

4. Creating a company Seeder for companies table

```
CompanySeeder.php ×
database > seeders > CompanySeeder.php > PHP Intelephense > CompanySeeder
8
0 references | 0 implementations
9 class CompanySeeder extends Seeder
10 {
11     /**
12      * Run the database seeds.
13      */
14     public function run(): void
15     {
16         $companies = [];
17
18         foreach(range(1, 10) as $index) {
19             $company = [
20                 'name' => $name = "Company $index",
21                 'address' => "Address $name",
22                 'website' => "Website $name",
23                 'email' => "Email $name",
24                 'created_at' => now(),
25                 'updated_at' => now(),
26             ];
27             $companies[] = $company;
28         }
29         DB::table('companies')->delete();
30         DB::table('companies')->insert($companies);
31     }
32 }
33
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

- → working-with-databases php artisan make:seeder CompanySeeder
INFO Seeder [database/seeders/CompanySeeder.php] created successfully.
- → working-with-databases php artisan db:seed --class=CompanySeeder
INFO Seeding database.

Showing rows 0 - 9 (10 total, Query took 0.0002 seconds.)

```
SELECT * FROM `companies`
```

id	name	address	website	email <small>Email of the company</small>	created_at	updated_at
1	Company 1	Address Company 1	Website Company 1	Email Company 1	2023-05-23 10:26:57	2023-05-23 10:26:57
2	Company 2	Address Company 2	Website Company 2	Email Company 2	2023-05-23 10:26:57	2023-05-23 10:26:57
3	Company 3	Address Company 3	Website Company 3	Email Company 3	2023-05-23 10:26:57	2023-05-23 10:26:57
4	Company 4	Address Company 4	Website Company 4	Email Company 4	2023-05-23 10:26:57	2023-05-23 10:26:57
5	Company 5	Address Company 5	Website Company 5	Email Company 5	2023-05-23 10:26:57	2023-05-23 10:26:57
6	Company 6	Address Company 6	Website Company 6	Email Company 6	2023-05-23 10:26:57	2023-05-23 10:26:57
7	Company 7	Address Company 7	Website Company 7	Email Company 7	2023-05-23 10:26:57	2023-05-23 10:26:57
8	Company 8	Address Company 8	Website Company 8	Email Company 8	2023-05-23 10:26:57	2023-05-23 10:26:57
9	Company 9	Address Company 9	Website Company 9	Email Company 9	2023-05-23 10:26:57	2023-05-23 10:26:57
10	Company 10	Address Company 10	Website Company 10	Email Company 10	2023-05-23 10:26:57	2023-05-23 10:26:57

5. Create Contact Model with Migration and Seeder

```
2023_05_23_102829_create_contacts_table.php ×
database > migrations > 2023_05_23_102829_create_contacts_table.php > PHP > class@anonymousfile:///Users/phanjapon/Documents/ITE-Year3-Semester2/WCT/PHP/lab8, 9/wd
7   return new class extends Migration
12      public function up(): void
13      {
14          Schema::create('contacts', function (Blueprint $table) {
15              $table->id();
16              $table->string('first_name');
17              $table->string('last_name');
18              $table->string('phone')->nullable();
19              $table->string('email');
20              $table->string('address')->nullable();
21              $table->foreignId('company_id')->constrained()->cascadeOnDelete()->cascadeOnUpdate();
22              $table->timestamps();
23          });
24      }
25
26      /**
27       * Reverse the migrations.
28       */
29      public function down(): void
30      {
31          Schema::dropIfExists('contacts');
32      }
33  };

```

PROBLEMS OUTPUT DEBUG CONSOLE **TERMINAL**

```
• → working-with-databases php artisan make:model Contact -ms
  INFO Model [app/Models/Contact.php] created successfully.
  INFO Migration [database/migrations/2023_05_23_102829_create_contacts_table.php] created successfully.
  INFO Seeder [database/seeders/ContactSeeder.php] created successfully.
• → working-with-databases php artisan migrate
  INFO Running migrations.
2023_05_23_102829_create_contacts_table ..... 259ms DONE
```

6. Create Contact Model with Migration and Seeder (cont.)

```
ContactSeeder.php ×
database > seeders > ContactSeeder.php > PHP Intelephense > ContactSeeder > run
9   class ContactSeeder extends Seeder
14  public function run(): void
15  {
16      Contact::create([
17          'first_name' => 'First Name 1',
18          'last_name' => 'Last Name 1',
19          'phone' => 'phone 1',
20          'email' => 'email1@email.com',
21          'address' => 'City 1',
22          'company_id' => 1,
23          'created_at' => now(),
24          'updated_at' => now(),
25      ]);
26
27      Contact::create([
28          'first_name' => 'First Name 2',
29          'last_name' => 'Last Name 2',
30          'phone' => 'phone 2',
31          'email' => 'email2@email.com',
32          'address' => 'City 2',
33          'company_id' => 2,
34          'created_at' => now(),
35          'updated_at' => now(),
36      ]);
37  }
38 }
```

PROBLEMS OUTPUT DEBUG CONSOLE **TERMINAL**

```
● → working-with-databases php artisan db:seed --class=ContactSeeder
    INFO Seeding database.
○ → working-with-databases █
```

5/23/23, 5:38 PM mysql-pjapon24th.com / mysql / ContactDB / contacts | phpMyAdmin 5.2.1

Showing rows 0 - 1 (2 total, Query took 0.0002 seconds.)

```
SELECT * FROM `contacts`
```

id	first_name	last_name	phone	email	address	company_id	created_at	updated_at
1	First Name 1	Last Name 1	phone 1	email1@email.com	City 1	1	2023-05-23 10:37:55	2023-05-23 10:37:55
2	First Name 2	Last Name 2	phone 2	email2@email.com	City 2	2	2023-05-23 10:37:55	2023-05-23 10:37:55

7. Querying Database with Eloquent

```
o → working-with-databases php artisan tinker
Psy Shell v0.11.14 (PHP 8.2.3 - cli) by Justin Hileman
> use App\Models\Company
> Company::all()
= Illuminate\Database\Eloquent\Collection {#4701
  all: [
    App\Models\Company {#4703
      id: 1,
      name: "Company 1",
      address: "Address Company 1",
      website: "Website Company 1",
      email: "Email Company 1",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4704
      id: 2,
      name: "Company 2",
      address: "Address Company 2",
      website: "Website Company 2",
      email: "Email Company 2",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4705
      id: 3,
      name: "Company 3",
      address: "Address Company 3",
      website: "Website Company 3",
      email: "Email Company 3",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4706
      id: 4,
      name: "Company 4",
      address: "Address Company 4",
      website: "Website Company 4",
      email: "Email Company 4",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4707
      id: 5,
      name: "Company 5",
      address: "Address Company 5",
      website: "Website Company 5",
```

```

> Company::take(3)
= Illuminate\Database\Eloquent\Builder {#4695}

> Company::take(3)->dump()
"select * from `companies` limit 3" // vendor/laravel/framework/src/Illuminate/Database/Query/Builder.php:3865
[] // vendor/laravel/framework/src/Illuminate/Database/Query/Builder.php:3865
= Illuminate\Database\Query\Builder {#4698}
+connection: Illuminate\Database\MySQLConnection {#3743},
+grammar: Illuminate\Database\Query\Grammars\MySQLGrammar {#3745},
+processor: Illuminate\Database\Query\Processors\MySQLProcessor {#3747},
+bindings: [
  "select" => [],
  "from" => [],
  "join" => [],
  "where" => [],
  "groupBy" => [],
  "having" => [],
  "order" => [],
  "union" => [],
  "unionOrder" => [],
],
+aggregate: null,
+columns: null,
+distinct: false,
+from: "companies",
+indexHint: null,
+joins: null,
+wheres: [],
+groups: null,
+havings: null,
+orders: null,
+limit: 3,
+offset: null,
+unions: null,
+unionLimit: null,
+unionOffset: null,
+unionOrders: null,
+lock: null,
+beforeQueryCallbacks: [],
+operators: [
  "=",
  "<",
  ">",
  "<=",
  ">=",
  "<>",
  "!=",

```

```

o → working-with-databases php artisan tinker
Psy Shell v0.11.14 (PHP 8.2.3 - cli) by Justin Hileman
> use App\Models\Company
> Company::take(3)->get()
= Illuminate\Database\Eloquent\Collection {#4442
  all: [
    App\Models\Company {#4696
      id: 1,
      name: "Company 1",
      address: "Address Company 1",
      website: "Website Company 1",
      email: "Email Company 1",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4697
      id: 2,
      name: "Company 2",
      address: "Address Company 2",
      website: "Website Company 2",
      email: "Email Company 2",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4698
      id: 3,
      name: "Company 3",
      address: "Address Company 3",
      website: "Website Company 3",
      email: "Email Company 3",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
  ],
}

```

```
> Company::take(3)->skip(2)->get()
= Illuminate\Database\Eloquent\Collection {#4701
  all: [
    App\Models\Company {#4707
      id: 3,
      name: "Company 3",
      address: "Address Company 3",
      website: "Website Company 3",
      email: "Email Company 3",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#3742
      id: 4,
      name: "Company 4",
      address: "Address Company 4",
      website: "Website Company 4",
      email: "Email Company 4",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4699
      id: 5,
      name: "Company 5",
      address: "Address Company 5",
      website: "Website Company 5",
      email: "Email Company 5",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
  ],
}
```

```

> Company::select('id', 'name', 'address')->take(3)->skip(2)->get()
= Illuminate\Database\Eloquent\Collection {#4697
  all: [
    App\Models\Company {#4704
      id: 3,
      name: "Company 3",
      address: "Address Company 3",
    },
    App\Models\Company {#4080
      id: 4,
      name: "Company 4",
      address: "Address Company 4",
    },
    App\Models\Company {#3747
      id: 5,
      name: "Company 5",
      address: "Address Company 5",
    },
  ],
}

```

```

> Company::pluck('id', 'name')
= Illuminate\Support\Collection {#4709
  all: [
    "Company 1" => 1,
    "Company 2" => 2,
    "Company 3" => 3,
    "Company 4" => 4,
    "Company 5" => 5,
    "Company 6" => 6,
    "Company 7" => 7,
    "Company 8" => 8,
    "Company 9" => 9,
    "Company 10" => 10,
  ],
}

```

```
> Company::first()
= App\Models\Company {#4708
  id: 1,
  name: "Company 1",
  address: "Address Company 1",
  website: "Website Company 1",
  email: "Email Company 1",
  created_at: "2023-05-23 10:26:57",
  updated_at: "2023-05-23 10:26:57",
}
```

```
> Company::find(2)
= App\Models\Company {#4705
  id: 2,
  name: "Company 2",
  address: "Address Company 2",
  website: "Website Company 2",
  email: "Email Company 2",
  created_at: "2023-05-23 10:26:57",
  updated_at: "2023-05-23 10:26:57",
}
```



```
> Company::orderby('id', 'desc')->get()
= Illuminate\Database\Eloquent\Collection {#4713
  all: [
    App\Models\Company {#4718
      id: 10,
      name: "Company 10",
      address: "Address Company 10",
      website: "Website Company 10",
      email: "Email Company 10",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4719
      id: 9,
      name: "Company 9",
      address: "Address Company 9",
      website: "Website Company 9",
      email: "Email Company 9",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4720
      id: 8,
      name: "Company 8",
      address: "Address Company 8",
      website: "Website Company 8",
      email: "Email Company 8",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4721
      id: 7,
      name: "Company 7",
      address: "Address Company 7",
      website: "Website Company 7",
      email: "Email Company 7",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4722
      id: 6,
      name: "Company 6",
      address: "Address Company 6",
      website: "Website Company 6",
      email: "Email Company 6",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
  ]
}
```

```
> Company::count()
= 10
```

```
> Company::where('name', 'Company 1')->first()
= App\Models\Company {#4721
  id: 1,
  name: "Company 1",
  address: "Address Company 1",
  website: "Website Company 1",
  email: "Email Company 1",
  created_at: "2023-05-23 10:26:57",
  updated_at: "2023-05-23 10:26:57",
}
```

```
> Company::wherename('Company 1')->first()
= App\Models\Company {#4719
  id: 1,
  name: "Company 1",
  address: "Address Company 1",
  website: "Website Company 1",
  email: "Email Company 1",
  created_at: "2023-05-23 10:26:57",
  updated_at: "2023-05-23 10:26:57",
}
```

```

> Company::where('id', 9)->where('name', 'Company 9')->get()
= Illuminate\Database\Eloquent\Collection {#4725
  all: [
    App\Models\Company {#4704
      id: 9,
      name: "Company 9",
      address: "Address Company 9",
      website: "Website Company 9",
      email: "Email Company 9",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
  ],
}

```

```

> Company::where('id', 9)->where('name', 'Company 9')->toSql()
= "select * from `companies` where `id` = ? and `name` = ?"

```

```

> Company::where(['id' => 9, 'name' => 'Company 9'])->toSql()
= "select * from `companies` where (`id` = ? and `name` = ?)"

```

```

> Company::where('id', '>', 3)->where('id', '<=', 9)->toSql()
= "select * from `companies` where `id` > ? and `id` <= ?"

```

```

> Company::where('id', '<', 3)->orWhere('id', '>', 9)->toSql()
= "select * from `companies` where `id` < ? or `id` > ?"

```

```

> Company::where('id', '>', 3)->where('name', 'like', 'Com%')->get()
= Illuminate\Database\Eloquent\Collection {#4709
  all: [
    App\Models\Company {#4484
      id: 4,
      name: "Company 4",
      address: "Address Company 4",
      website: "Website Company 4",
      email: "Email Company 4",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4727
      id: 5,
      name: "Company 5",
      address: "Address Company 5",
      website: "Website Company 5",
      email: "Email Company 5",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#3747
      id: 6,
      name: "Company 6",
      address: "Address Company 6",
      website: "Website Company 6",
      email: "Email Company 6",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4713
      id: 7,
      name: "Company 7",
      address: "Address Company 7",
      website: "Website Company 7",
      email: "Email Company 7",
      created_at: "2023-05-23 10:26:57",
      updated_at: "2023-05-23 10:26:57",
    },
    App\Models\Company {#4704
      id: 8,
      name: "Company 8",
      address: "Address Company 8",
      website: "Website Company 8",
      email: "Email Company 8",
    },
  ],
}

```

```
> Company::WhereNull('address')->toSql()  
= "select * from `companies` where `address` is null"
```

```
○ → working-with-databases php artisan tinker  
Psy Shell v0.11.14 (PHP 8.2.3 - cli) by Justin Hileman  
> use App\Models\Company  
> $company = new Company  
= App\Models\Company {#3742}  
  
> $company->name = "My Company"  
= "My Company"  
  
> $company->email = "My email"  
= "My email"  
  
> $company->address = "My address"  
= "My address"  
  
> $company->save()  
= true
```

Showing rows 0 - 10 (11 total, Query took 0.0002 seconds.)

```
SELECT * FROM `companies`
```

id	name	address	website	email <small>Email of the company</small>	created_at	updated_at
1	Company 1	Address Company 1	Website Company 1	Email Company 1	2023-05-23 10:26:57	2023-05-23 10:26:57
2	Company 2	Address Company 2	Website Company 2	Email Company 2	2023-05-23 10:26:57	2023-05-23 10:26:57
3	Company 3	Address Company 3	Website Company 3	Email Company 3	2023-05-23 10:26:57	2023-05-23 10:26:57
4	Company 4	Address Company 4	Website Company 4	Email Company 4	2023-05-23 10:26:57	2023-05-23 10:26:57
5	Company 5	Address Company 5	Website Company 5	Email Company 5	2023-05-23 10:26:57	2023-05-23 10:26:57
6	Company 6	Address Company 6	Website Company 6	Email Company 6	2023-05-23 10:26:57	2023-05-23 10:26:57
7	Company 7	Address Company 7	Website Company 7	Email Company 7	2023-05-23 10:26:57	2023-05-23 10:26:57
8	Company 8	Address Company 8	Website Company 8	Email Company 8	2023-05-23 10:26:57	2023-05-23 10:26:57
9	Company 9	Address Company 9	Website Company 9	Email Company 9	2023-05-23 10:26:57	2023-05-23 10:26:57
10	Company 10	Address Company 10	Website Company 10	Email Company 10	2023-05-23 10:26:57	2023-05-23 10:26:57
11	My Company	My address	NULL	My email	2023-05-23 14:26:43	2023-05-23 14:26:43

ContactSeeder.php Company.php ×
app > Models > Company.php > PHP > App\Models\Company

```
1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Factories\HasFactory;
6  use Illuminate\Database\Eloquent\Model;
7
8  0 references | 0 implementations
9  class Company extends Model
10 {
11     use HasFactory;
12     0 references
13     protected $fillable = ['name', 'email', 'address', 'website'];
14 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
> use App\Models\Company
> $company = new Company(['name'=>'new name 2', 'email'=>'new mail 2', 'address'=>'new address 2'])
= App\Models\Company {#3746
    name: "new name 2",
    email: "new mail 2",
    address: "new address 2",
}

> $company->save()
= true
```

Showing rows 0 - 11 (12 total, Query took 0.0003 seconds.)

```
SELECT * FROM `companies`
```

id	name	address	website	email <small>Email of the company</small>	created_at	updated_at
1	Company 1	Address Company 1	Website Company 1	Email Company 1	2023-05-23 10:26:57	2023-05-23 10:26:57
2	Company 2	Address Company 2	Website Company 2	Email Company 2	2023-05-23 10:26:57	2023-05-23 10:26:57
3	Company 3	Address Company 3	Website Company 3	Email Company 3	2023-05-23 10:26:57	2023-05-23 10:26:57
4	Company 4	Address Company 4	Website Company 4	Email Company 4	2023-05-23 10:26:57	2023-05-23 10:26:57
5	Company 5	Address Company 5	Website Company 5	Email Company 5	2023-05-23 10:26:57	2023-05-23 10:26:57
6	Company 6	Address Company 6	Website Company 6	Email Company 6	2023-05-23 10:26:57	2023-05-23 10:26:57
7	Company 7	Address Company 7	Website Company 7	Email Company 7	2023-05-23 10:26:57	2023-05-23 10:26:57
8	Company 8	Address Company 8	Website Company 8	Email Company 8	2023-05-23 10:26:57	2023-05-23 10:26:57
9	Company 9	Address Company 9	Website Company 9	Email Company 9	2023-05-23 10:26:57	2023-05-23 10:26:57
10	Company 10	Address Company 10	Website Company 10	Email Company 10	2023-05-23 10:26:57	2023-05-23 10:26:57
11	My Company	My address	NULL	My email	2023-05-23 14:26:43	2023-05-23 14:26:43
12	new name 2	new address 2	NULL	new mail 2	2023-05-23 14:32:46	2023-05-23 14:32:46


```
> Company::where('id', 11)->update(['name'=>'new name', 'email'=>'new email'])
= 1
```

5/23/23, 9:36 PM

mysql.pjapon24th.com / mysql / ContactDB / companies | phpMyAdmin 5.2.1

Showing rows 0 - 11 (12 total, Query took 0.0002 seconds.)

```
SELECT * FROM `companies`
```

id	name	address	website	email <small>Email of the company</small>	created_at	updated_at
1	Company 1	Address Company 1	Website Company 1	Email Company 1	2023-05-23 10:26:57	2023-05-23 10:26:57
2	Company 2	Address Company 2	Website Company 2	Email Company 2	2023-05-23 10:26:57	2023-05-23 10:26:57
3	Company 3	Address Company 3	Website Company 3	Email Company 3	2023-05-23 10:26:57	2023-05-23 10:26:57
4	Company 4	Address Company 4	Website Company 4	Email Company 4	2023-05-23 10:26:57	2023-05-23 10:26:57
5	Company 5	Address Company 5	Website Company 5	Email Company 5	2023-05-23 10:26:57	2023-05-23 10:26:57
6	Company 6	Address Company 6	Website Company 6	Email Company 6	2023-05-23 10:26:57	2023-05-23 10:26:57
7	Company 7	Address Company 7	Website Company 7	Email Company 7	2023-05-23 10:26:57	2023-05-23 10:26:57
8	Company 8	Address Company 8	Website Company 8	Email Company 8	2023-05-23 10:26:57	2023-05-23 10:26:57
9	Company 9	Address Company 9	Website Company 9	Email Company 9	2023-05-23 10:26:57	2023-05-23 10:26:57
10	Company 10	Address Company 10	Website Company 10	Email Company 10	2023-05-23 10:26:57	2023-05-23 10:26:57
11	new name	My address	NULL	new email	2023-05-23 14:26:43	2023-05-23 14:34:43
12	new name 2	new address 2	NULL	new mail 2	2023-05-23 14:32:46	2023-05-23 14:32:46

```
> $company = Company::find(12)
= App\Models\Company {#4699
  id: 12,
  name: "new name 2",
  address: "new address 2",
  website: null,
  email: "new mail 2",
  created_at: "2023-05-23 14:32:46",
  updated_at: "2023-05-23 14:32:46",
}

> $company->delete()
= true

> $com = Company::where('id', '11')
= Illuminate\Database\Eloquent\Builder {#4703}

> $com->delete()
= 1

> Company::destroy(10)
= 1
```

Showing rows 0 - 8 (9 total, Query took 0.0003 seconds.)

```
SELECT * FROM `companies`
```

id	name	address	website	email <small>Email of the company</small>	created_at	updated_at
1	Company 1	Address Company 1	Website Company 1	Email Company 1	2023-05-23 10:26:57	2023-05-23 10:26:57
2	Company 2	Address Company 2	Website Company 2	Email Company 2	2023-05-23 10:26:57	2023-05-23 10:26:57
3	Company 3	Address Company 3	Website Company 3	Email Company 3	2023-05-23 10:26:57	2023-05-23 10:26:57
4	Company 4	Address Company 4	Website Company 4	Email Company 4	2023-05-23 10:26:57	2023-05-23 10:26:57
5	Company 5	Address Company 5	Website Company 5	Email Company 5	2023-05-23 10:26:57	2023-05-23 10:26:57
6	Company 6	Address Company 6	Website Company 6	Email Company 6	2023-05-23 10:26:57	2023-05-23 10:26:57
7	Company 7	Address Company 7	Website Company 7	Email Company 7	2023-05-23 10:26:57	2023-05-23 10:26:57
8	Company 8	Address Company 8	Website Company 8	Email Company 8	2023-05-23 10:26:57	2023-05-23 10:26:57
9	Company 9	Address Company 9	Website Company 9	Email Company 9	2023-05-23 10:26:57	2023-05-23 10:26:57